



MacBook Air 13" Early 2017 SSD Upgrade to NVMe

Written By: Dan



 **TOOLS:**

- [P5 Pentalobe Screwdriver Retina MacBook Pro and Air \(1\)](#)
- [T5 Torx Screwdriver \(1\)](#)

 **PARTS:**

- [Crucial P1 1TB 3D NAND NVMe PCIe M.2 SSD \(1\)](#)
- [M.2 NGFF to M-Key MacBook- Air \(2013-2016\) Pro \(2013-2015\) \(1\)](#)

Step 1 — Check Compatibility



- MacBook Air Late 2010 - Working - High Sierra, Catalina, M2 Samsung Evo 860, Adapter
- MacBook Air 2011 - Unknown
- MacBook Air 2012 - Unknown
- MacBook Air 2013 - Unknown
- MacBook Air 2014 - WD_black 500 + Sintech adapter, running MacOS Big Sur
- MacBook Air Early 2015 - WORKING- Mojave 10.14.3 to Big Sur 11.0.1- Crucial P1 SSD NVME, Adapter.
- MacBook Air 2017 - WORKING - High Sierra, Catalina and Big Sur - Samsung Evo 960, Adapter.
- MacBook Air 2018 and forward - will not work, No removable drive

Step 2 — Lower Case




- ⓘ Before proceeding, power down your MacBook. Close the display and lay it on a soft surface, top-side down.
- Use a [P5 Pentalobe](#) driver to remove ten screws securing the lower case, of the following lengths:
 - Two 9 mm screws
 - Eight 2.6 mm screws

Step 3




- Wedge your fingers between the display and the lower case and pull upward to pop the lower case off the Air.
- Remove the lower case and set it aside.

Step 4 — Solid-State Drive




- Remove the single 2.9 mm T5 Torx screw securing the SSD to the logic board.

Step 5



- Gently lift the end of the SSD about half an inch and pull it straight out of its socket on the logic board.
 - ⚠ Don't lift the SSD more than half an inch—doing so may damage the SSD or its socket on the logic board.
- ☑ When reinstalling the SSD, be sure it is properly seated before reinstalling its retaining screw.

Step 6 — SSD - Alternate option using M.2 NVMe SSD



- Carefully insert the new SSD into the adapter, using the length of old drive as a reference for when the SSD is fully in the adapter. The lengths should be the same.
- Insert the SSD and the adapter into the Socket, pushing inward in a straight fashion.
- When reinstalling the SSD, be sure it is properly seated before reinstalling its retaining screw.

⚠ NVMe Drives can cause kernel panics due to sleep /hibernation issues. This can be turned off with the following command.

- From a Terminal, use the following command to disable hibernation: ----"sudo pmset -a hibernatemode 0" ---- If you later want to enable hibernation, use: "sudo pmset -a hibernatemode 3"

To reassemble your device, follow these instructions in reverse order.