



Quiksilver The Fifty50 Back Panel Replacement

Steps to teach someone how to replace the back panel of the Quiksilver The Fifty50 sports watch.
The back panel removal is required for repair purposes.

Written By: Sue Giske



INTRODUCTION

This replacement guide will teach someone how to successfully replace the back panel on their Quiksilver The Fifty50 sports watch. Before getting started make sure to grab the tools necessary and at least skim the instructions once to understand what it will look like while you are replacing the back panel, that way there will be no surprises as you go through the steps.



TOOLS:

- [Phillips #00 Screwdriver](#) (1)
 - [Tweezers](#) (1)
-

Step 1 — Strap



- Place the watch (face down) on a solid surface.
 - Carefully use the screwdriver and push in one side of the strap.
 - Slowly remove the strap by pushing back one of the hidden metallic holders for the strap.
- i** If you are having difficulty trying to take off the strap, feel free to use a 3.5 flat head screw driver, or any kind of tool that make this step easier.

Step 2



- Gently pull the pin out of the strap.
- i** Carefully handle the small metallic holder, as they are sharp and may be difficult to locate if lost.

Step 3 — Back Panel



- Remove the four 1.1 mm screws holding the back panel in place using the Phillips #00 screwdriver.

Step 4



- Carefully separate the panel off of the watch.
- ⓘ Careful not to lose the four 1.1 mm screw or else the back panel will not be able to put back.

To reassemble your device, follow these instructions in reverse order.