



# Panasonic Lumix DMC-FX01 Front Casing Replacement

Use this guide to replace the front casing of...

Written By: Andrew



---

## INTRODUCTION

Use this guide to replace the front casing of your Panasonic Lumix DMC-FX01.

---

### **TOOLS:**

- [Phillips #00 Screwdriver](#) (1)
-

## Step 1 — Battery



- Locate the memory card and battery card latch on the bottom of the camera.
- Slide the latch to the open position.

## Step 2



- Open the battery latch, and slide the battery release lever to the right.



### Step 3



- Remove the battery from the camera.

### Step 4 — Rear Casing



- Remove the three 4.6 mm screws on the bottom of the camera using a Phillips #00 screwdriver.

## Step 5



- Remove the single 3.2 mm screw on the left side of the camera using a Phillips #00 screwdriver.

## Step 6



- Remove the left side casing.

## Step 7



- Remove the two 3.2 mm screws on the right side of the camera using a Phillips #00 screwdriver.

## Step 8



- Remove the bottom right panel.




## Step 9




- Gently remove the back casing.
- Start at the bottom and carefully pry towards the top to get this piece free.

## Step 10 — LCD Screen



- Gently lift up the LCD screen.
- Using a plastic prying tool, flip up the latch that holds the thin ribbon in place.
- It should fall out on its own or with a gentle tug.

## Step 11




- Gently tug the thicker ribbon to remove it from its housing.

## Step 12 — Front Casing




- Remove the two black 5.4 mm screws that hold in the front faceplate using a Phillips #00 screwdriver.

 There may be a third screw the the right of the lens assembly.



## Step 13



- Carefully remove the upper assembly, which houses the buttons and the flash battery.

## Step 14



- Carefully remove the front casing after verifying that the thin plastic around the lens is not still attached.

To reassemble your device, follow these instructions in reverse order.