




Removing HP Compaq dx2000MT Case Fan

This guide will show you how to remove the case...

Written By: Logan Pace



INTRODUCTION

This guide will show you how to remove the case fan in your HP Compaq dx2000MT.

TOOLS:

- [Anti-Static Wrist Strap](#) (1)
 - [6-in-1 Screwdriver](#) (1)
 - [Phillips #2 Screwdriver](#) (1)
 - [Flathead 3/32" or 2.5 mm Screwdriver](#) (1)
 - [T15 Torx Screwdriver](#) (1)
 - [Tweezers](#) (1)
-

Step 1 — Removing the HP Compaq dx2000MT Case Doors



- Turn off your computer and remove the power cable by pulling it straight out of its socket.

Step 2



- Remove the two Phillips #2 screws that secure the case door to the device.

Step 3






- Remove the side case door by pushing towards the rear of the device with your hand.
 - ❗ This may take considerable force so keep pushing!
- Once you slide the door back, remove it by pulling it outwards from the device.

Step 4





- Remove the side case door by pushing towards the rear of the device with your hand.
 - ❗ Once again, this may take considerable force.
- Once you slide the door back, remove it by pulling it outwards from the device.

Step 5 — Case Fan




- Remove the 3 prong power connector from the motherboard by pulling it outwards toward the side of the device.

Step 6



- Remove the 4 push fasteners from the case by:
 - Prying them outwards with a small flathead screwdriver and
 - Pulling them out with tweezers or pliers.

Step 7



- Remove the fan from the case by pulling it towards the front of the device.

To reassemble your device, follow these instructions in reverse order.