



Samsung Galaxy A5 (2016) Back Cover Replacement

Use this guide to replace the back cover of...

Written By: Tobias Isakeit



INTRODUCTION

Use this guide to replace the back cover of your Galaxy A5.

TOOLS:

[iOpener](#) (1)
[iFixit Opening Picks \(Set of 6\)](#) (1)
[Plastic Cards](#) (1)

PARTS:

[Tesa 61395 Double-Sided Tape](#) (1)

Step 1 — Back Cover



 Start by switching off your phone.

- Take an [iOpener](#) to heat up and soften the glue behind the back cover.
- With a suction handle lift the back cover to insert an opening pick.

Step 2



- Slide the pick up to the middle to separate the back cover from the frame.
- Insert a second opening pick and move around the right corner along the bottom and around the left corner.

Step 3



- Take another opening pick and continue towards the top corner.
- Here you want to use one more pick for the last part at the top.

Step 4



- Insert a [plastic card](#) at the bottom and slide it underneath the back cover.

Step 5



- [Heat up the back cover](#) once again so you can slide the plastic card towards the top.
⚠ Always take a peek underneath the back cover to not damage any parts like the NFC antenna.
- Move the plastic card until you reach the camera bump. Now slowly lift up the back cover and finally remove it.
- ☑ Be sure to remove any residue from the glue and apply new adhesive when reassembling.

To reassemble your device, follow these instructions in reverse order.